

**i** Update repository: rel50beta

In case of automatic upgrade, make sure to specify the current repository.

Link for sharing: <https://confluence.wildix.com/x/foAJB>



**!** Requirements:

- Min. supported version from which upgrade is possible: 4.03.44606.45 (<https://www.wildix.com/new-releases-and-updates/>)
- custom certificates are accepted only with signature algorithm not lower than SHA256

**!** Basic Authentication API access is disabled for the admin user (API documentation: [https://<pbx\\_host>/api/v1/doc/#section/Authentication](https://<pbx_host>/api/v1/doc/#section/Authentication))

Admin users can apply PHP HTTP client library for S2S authentication: <https://github.com/Wildix/s2s-client-php>

## WMS Beta 5.01.20200914.1 Date: 17.09.2020

Additional packages: wildix sipproxy 5.2.5-5.01.20200917.1 ejabberd 19.02-5.01.20200916.1

### Fix

[WMS-9612] - sys: fixed no audio issue for calls between 2 PBXs in WMS Network located in 2 different routable LAN networks

## WMS Beta 5.01.20200914.1 Date: 14.09.2020

### New Feature

---

[WMS-9727] - col: improvements for customer feedback option in Collaboration

---

## WMS Beta 5.01.20200902.2 Date: 09.09.2020

**Additional package: wildix cw package 5.01.20200909.1**

### Fix

[WMS-9641] - col: fixed an issue with "Conference", "Recording" and "Transfer" buttons being unavailable for calls in Collaboration when calling via Diaplan application "Call through remote PBX"

---

## WMS Beta 5.01.20200902.2 Date: 03.09.2020

### Fix

[WMS-9636] - sys: fixed an issue with double authentication when connecting to WebAPI using Chrome browser v. 80 due to disabled support of cross-site cookies

Limitation: the issue still might be present when using Incognito Mode (by default, it blocks third-party cookies). You can change this behaviour (allow all cookies) in <chrome://settings/cookies>.

---

## Wildix firmware package 5.01.20200721.1 Date: 01.09.2020

### New Firmware

*New W-AIR firmware version 0501b001 for W-AIR bases and 0501b002 for W-AIR Handsets.*

[WMS-9321] - dev: fixed an issue in which "Lone Worker" alarms were still active after setting "No movement profile" alarm during handset charge

---

## WMS Beta 5.01.20200827.1 Date: 28.08.2020

### Fix

[WMS-9603] - sys: fixed one way media issue for a callee after answering a call in Collaboration with enabled mobility

---

## WMS Beta 5.01.20200826.1 Date: 26.08.2020

### Fix

[WMS-9185] - sys: additional fix for the issue in which WP phones connected to HW/ VM PBX couldn't get firmware after upgrading to WMS 5.0 (initial ticket WMS-9154)

---

---

## WMS Beta 5.01.20200820.1 Date: 20.08.2020

### New Feature

[WMS-9325] - wms: added possibility to access storages and ntp server menus before pbx activation

---

## WMS Beta Hotfix Date: 19.08.2020

**Additional packages: sipprox package 5.2.5-5.01.20200818.1 wildix-base package 5.01.20200818.1**

### Improvement

[WMS-9462] - sys: performance tuning for 1GB PBX instances in order to prevent lack of memory

---

## WMS Beta Hotfix Date: 18.08.2020

**Additional packages: sipprox package 5.2.5-5.01.20200817.1 wildix-cw package 5.01.20200818.1**

### Fixes

[WMS-9542] - sys: fixed no video issue from Dahua doorphones after upgrading PBX to WMS 4.04

[WMS-9586] - sys: fixed periodic PBX engine crash during playback of sound files

---

## WMS Beta 5.01.20200814.1 Date: 14.08.2020

### Fix

[WMS-9519] - sys: fixed an issue with audio in some cases for calls in wms network after upgrade to 4.04

Issue reproduced in case caller used a device provisioned for using wideband codecs but without support for Opus (e.g a W-AIR user on one PBX calling a WP user on another PBX in WMS network)

### New Firmware

*New firmware for Wp480gr3 v. 63.145.10.22.rom WorkForce v. 65.145.2.15 Wp490gr3 v. 67.145.8.94  
WelcomeConsole v. 68.145.2.26*

[WMS-9397] - dev: fixes and improvements for srtp lock icon on wp phones

Fixed position and changed color of srtp lock icon (from red to green)

---

## WMS Beta Hotfix Date: 12.08.2020

### New Firmware

*New firmware for WorkForce v. 65.145.2.14.rom*

---

---

[WMS-8931] - dev: fixed an issue with no ringback tone on usb headset connected to workforce phone

---

## WMS Beta 5.01.20200810.3 Date: 11.08.2020

### New Feature

[WMS-9539] - col: added support for danish language

### Fix

[WMS-9527] - sys: fixed an issue in which automatic sync of devices wasn't performed after pbx upgrade

issue introduced in WMS v. 5.01.20200612.2

---

## WMS Beta Hotfix Date: 4.08.2020

**Additional packages: provision package 5.01.20200804.1 dialplan package 5.01.20200804.1 lua-base package 5.01.20200804.1 base package 5.01.20200804.1**

### Fixes

[WMS-7345] - sys: fixed an issue with outgoing fax queue being blocked after the first unsuccessful attempt

[WMS-9490] - sys: fixed an issue in which paging stopped working after PBX reboot

---

## WMS Beta 5.01.20200730.1 Date: 31.07.2020

### Fix

[WMS-9441] - wms: fixed several Dialplan issues in which:

- Dialplan procedure containing "Jump to if" application was saved incorrectly
- it was impossible to save Dialplan procedure after removing an application that previously contained an error

### New Firmware

New firmware for WP480G r3 v. 63.145.10.21, WP490G r3 v. 67.145.8.93, WorkForce v. 65.145.2.10, WelcomeConsole v. 68.145.2.25

[WMS-9419] - dev: fixed an issue in which incoming concurrent calls were routed only to BLF key "Line 1"

---

## Wildix ejabberd package 5.01.20200724.1 Date: 27.07.2020

### Fix

[WMS-9384] - sys: fixed an issue with Collaboration freezing under high load

---

---

## Wildix cw package 5.01.20200724.1 Date: 24.07.2020

### Fix

[WMS-9140] - wms: fixed an issue in which a Call group member who changed user status to "DND" while being paused for wrap up time or auto pause on no answer, still received Call group calls

---

## Wildix firmware package 5.01.20200717.1 Date: 20.07.2020

### New Firmware

*New firmware for WorkForce v. 65.145.2.7*

[WMS-9314] - dev: WorkForce improvements:

- added support for LED indication of presence and call statuses on MonoLED and DuoLED Headsets
  - fixed an issue in which WorkForce failed to get DNS settings if Secondary DNS server was set via DHCP
- 

## WMS Beta 5.01.20200716.1 Date: 17.07.2020

### Fixes

[WMS-7932] - wms: fixed an issue in which import of user from active directory failed if email address contained generic top-level domains

[WMS-8694] - sys: fixed an issue in which pbx engine couldn't access cdr database if mssql backend was used with a non-standard port (not 1433)

---

## WMS Beta Version 5.01.20200709.1 Date: 09.07.2020

### Hotfix

[WMS-9324] - sys: fixed an issue with PBX engine crash that was caused by corrupted CDR DB tables

---

## WMS Beta 5.01.20200625.1 Date: 25.06.2020

### Improvement

[WMS-9068] - col: fixed an issue in which user avatars disappeared after zooming in/ out Colleagues page in Collaboration

### Fix

[WMS-9285] - wms: fixed an issue with incorrect {rand} parameter being added to "Verify number of calls" and "Trunk Group" Dialplan applications if editing via "Developer" option

---

---

## WMS Beta 5.01.20200622.1 Date: 23.06.2020

### Fixes

[WMS-9183] - wms: fixed an issue when it was impossible to save any changes on FAX/SMS server page if PBX was in WMS network

[WMS-9272] - sys: fixed a rare issue in which calls in progress via trunk crashed if debug level was set >3

---

## WMS Beta 5.01.20200619.1 Date: 19.06.2020

### Fixes

[WMS-8990] - col: increased the max number of CDR-View exported records up to 500 000

[WMS-9093] - wms: fixed an issue with impossibility to close device's direct access via "Disconnect" option in WMS -> Devices

[WMS-9169] - sys: fixed no audio issue for calls received via BRI / PRI gateway if a call was answered by a user after IVR or Play sound Dialplan application on Cloud PBX after upgrade to 5.01.20200605.5

[WMS-9179] - wms: fixed an issue with multiple custom destinations/ E-mails being assigned incorrectly after adding them to Fax to e-mail Dialplan application

[WMS-9241] - sys: deprecated the old media core behavior when it was possible to switch Direct RTP logic

Note: You won't be able to switch to the previous behaviour <https://confluence.wildix.com/x/3oC5Aw>

---

## WMS Beta 5.01.20200612.3 Date: 12.06.2020

### Fixes

[WMS-9154] - dev: fixed an issue when WP phones connected to HW/ VM PBX couldn't get firmware after upgrading to WMS 5.0

[WMS-9176] - wms: fixed JSON Web Token validation error during S2S authentication

---

## WMS Beta Hotfix Date: 12.06.2020

### Additional package:provisioning 5.01.20200611.1

[WMS-9163] - sys: fixed no media issue on WP phones connected to Cloud PBX if UDP or TCP was set as SIP Transport via custom provisioning parameter

---

## WMS Beta Hotfix Date: 10.06.2020

---

---

**Additional package: sipproxy 5.01.20200610.1**

[WMS-9126] - sys: fixed an issue with BLF keys "Line" not working in WMS Network after upgrade to WMS v. 5.01.20200603.2

---

## WMS Beta 5.01.20200605.6 Date: 09.06.2020

### Fix

[WMS-9093] - wms: fixed an issue with impossibility to close device's direct access via "Disconnect" option in WMS -> Devices

---

## WMS Beta 5.01.20200605.5 Date: 05.06.2020

### Improvements

[WMS-8849] - col: improved Collaboration top menu design

[WMS-9041] - sys: devices connection is now established via TLS:

- *all devices, except GSM trunks (W01GSM and DaySaver) use TLS transport on VM/ HW PBXs (previously it was supported on Cloud PBXs)*
- *"Use TLS / SRTP for local devices" option in WMS Settings -> Settings -> PBX -> SIP-RTP is no longer supported and will be deleted from the web the interface later*
- *use custom provisioning parameter "SIPTransport" (<https://confluence.wildix.com/x/KQg8AQ>) to set another protocol*

### Fixes

[WMS-8511] - sys: fixed no audio issue after attended transfer if a transferee belonged to a different subnet

[WMS-9082] - wms: fixed error processing issues after changing and saving settings in WMS -> Dialplan

[WMS-9108] - sys: fixed no media issue for calls between Collaboration and Android application if callee had mobility feature enabled

[WMS-9114] - wms: fixed an issue when selected Dialplan rules were not applied after import

---

## WMS Beta 5.01.20200603.2 Date: 03.06.2020

### Fixes

[WMS-9066] - col: fixed an issue with impossibility to send faxes via Wildix Fax Printer

[WMS-9084] - sys: fixed an issue in which PBX could freeze after reboot

---

## WMS Beta 5.01.20200602.1 Date: 02.06.2020

---

**Fixes**

[WMS-9023] - sys: fixed call drop issue for calls received or placed via BRI/ PRI media gateways

- note: W01/02PRI pre 2017 gateways need to be manually rebooted after PBX upgrade is completed

[WMS-9081] - sys: fixed an issue with "users" home directory being removed after PBX upgrade and reboot

---

## WMS Beta Version 5.01.20200601.1 Date: 01.06.2020

**Fix**

[WMS-9046] - wms: fixed an issue with incorrect displaying of JSON editor in fullscreen mode on Dialplan rules page

---

## WMS Beta Version 5.01.20200528.1 Date: 29.05.2020

**Fix**

[WMS-9002] - sys: memory leak fixes and general memory optimization for systemd service manager

---

## WMS Beta Version 5.01.20200522.1 Date: 27.05.2020

**Improvements**

[WMS-6693] - sys: enabled by default DTLS-SRTP media encryption between PBXs in WMS Network

[WMS-8616] - wms: improvements for Dialplan rules page in WMS -> Dialplan:

- page refactoring
  - added possibility to edit rules via JSON editor ("Developer" option)
- 

## WMS Beta Version 5.01.20200514.1 Date: 15.05.2020

**Improvement**

[WMS-8691] - sys: SDES-SRTP feature is now enabled by default on supported devices (BPI/ PRI gateways, WP480G r3/ WP490G r3/ WorkForce, WelcomeConsole)

**Fix**

[WMS-8455] - sys: fixed an issue when after call pickup/ call forward, user received a call from another user whose call was previously picked up and two calls were bridged automatically instead of a second incoming call

---

## WMS Beta Version 5.01.20200508.1 Date: 11.05.2020

---

## Improvements

[WMS-8605] - col: URL previews in Collaboration messages are now displayed in a language set in user's Personal Settings

[WMS-8763] - sys: added support for direct upgrade of BRI/ PRI media gateways via internet connection

Notes:

- Upgrade available via [firmwares.wildix.com](https://firmwares.wildix.com) or custom server
- Media gateway must have access to the Internet to get a new firmware
- If there is no Internet connection and media gateways provisioned to HW/ VM PBX, enable the option "Enable routing eth0" in WMS Settings -> System -> Network

[WMS-8869] - sys: disabled audio notification for call intrusion by default

To enable audio notification:

- for all the system: go to WMS Dialplan -> General Settings -> Set dialplan variables -> add `INTRUSION_NOTIFICATION=yes`
- for a specific group of users: modify Dialplan procedure used for the group -> add Set application and insert `INTRUSION_NOTIFICATION=yes`

## Fixes

[WMS-7349] - col: increased clickable areas for DTMF keypad in Collaboration call dialog window

[WMS-8839] - sys: fixed call drop issue after 25 minutes if it was placed between 2 Collaborations in WMS Network

[WMS-8840] - sys: fixed one way audio issue in case of mobility call if Direct RTP was enabled

---

## WMS Beta Version 5.01.20200424.1 Date: 27.04.2020

### Improvements

[WMS-7535] - sys: improved SIP DoS protection

[WMS-8435] - col: redesign of Collaboration top menu

---

## WMS Beta Version 5.01.20200416.1 Date: 17.04.2020

### Improvement

[WMS-8338] - sys: added possibility to select proper SMB version during Windows share initialization

The option "SMB version" is located in WMS Settings -> System -> Storages -> Add NFS/Windows share.

---

## WMS Beta Version 5.01.20200413.1 Date: 15.04.2020

## Fix

[WMS-8540] - sys: fixed an issue with SIP Proxy syslog errors for SIP trunk of German VoIP operator Deutsche Telekom SIP Anlagenanschluß

---

# WMS Beta Version 5.01.20200410.3 Date: 13.04.2020

## New Feature

[WMS-8635] - col: added possibility to edit the last sent chat message in Collaboration

### How-to:

- *press Up arrow key on your keyboard*
- *the last sent message appears in the input field*
- *update it and press Enter key to send*

### Notes:

- *only messages containing links, text or emoticons can be edited*
- *to exit the editing mode, you need to delete the entire message from the input field*

### Limitation:

- *not supported on mobile devices and Kite: a remote side receives the modified text as a second message*

## Improvements

[WMS-8609] - wms: refactoring of HTTP proxy client page in WMS Settings -> System

[WMS-8673] - wms: discontinued support for Zoho API version 2

*To switch to the version 3: <https://confluence.wildix.com/x/2IPIAQ> (Update instructions).*

[WMS-8680] - wms: removed deprecated Colleagues API endpoints:

- `POST /api/v1/Colleagues/`
- `PUT /api/v1/Colleagues/{id}/`
- `DELETE /api/v1/Colleagues/{id}/`
- `DELETE /api/v1/Colleagues/{ids}/`

## Fixes

[WMS-8678] - wms: fixed an issue in which it was impossible to manage calls (start/ answer/ hangup) from Zoho CRM because it couldn't be authorized on PBX

[WMS-8679] - sys: fixed an issue with click-to-call from Zoho CRM not working in some cases

---

# WMS Beta Version 5.01.20200402.1 Date: 03.04.2020

## Improvement

[WMS-8573] - sys: enabled TProxy multiple processing for handling multiple connections

*Note: for PBXs with > 2GB of memory. CPU load is decreased by splitting multiple processes for each CPU core.*

#### **Fix**

[WMS-8383] - wms: fixed an issue with call and chat history not working after applying backup from Cloud PBX

---

## WMS Beta Version 5.01.20200327.3 Date: 30.03.2020

#### **New Feature**

[WMS-7504] - sys: call waiting parameter can now be activated for Call Groups with CG strategy "Call All 32"

#### **Improvements**

[WMS-8368] - wms: refactoring of W-AIR Networks page in WMS -> Devices

[WMS-8402] - wms: removed possibility to synchronize time manually on NTP Server page in WMS Settings -> System

#### **Fixes**

[WMS-7944] - col: limited size of a group chat title to 1024 symbols

[WMS-8146] - sys: fixed an issue when user received an email notification about joining a group chat as unread message from one-to-one chat

[WMS-8151] - dev: fixed an issue in which fax sending of multipage documents via FXS r3 gateway failed due to additionally added image row

[WMS-8565] - sys: fixed an issue in which configuration sync between Main and Secondary PBXs could not work in some cases

[WMS-8629] - wms: fixed an issue in which Wizyconf couldn't get the configuration from PBX after the first provisioning or being restarted

[WMS-8630] - sys: fixed an issue with Dialplan crashing if it contained previously deleted IVR tree

#### **New Firmware**

*New firmware for WP480GR3 v. 63.145.10.13, WP490GR3 v. 67.145.8.92, WelcomeConsole v. 68.145.2.24*

[WMS-6918] - dev: fixed an issue with delay of handling calls on WP480GR3, WP490GR3, WelcomeConsole in Failover environment if Secondary PBX was down

---

## WMS Beta Version 5.01.20200317.2 Date: 18.03.2020

#### **Improvement**

[WMS-8290] - app: WIService v. 2.12.1 (Windows) improves collecting of crash logs: now logs from *crash\_dumps* folder are sent automatically

## WMS Beta Version 5.01.20200313.4 Date: 16.03.2020

### New Features

[WMS-7199] - sys: added support for direct RTP between Kite and Web phone

*Added full ICE support for Kite and WebRTC phone:*

- *endpoints in the same network - media goes directly*
- *endpoints in different networks and open/ moderate NAT - STUN is used to find the best pair of candidates*
- *endpoints in different networks, strict NAT - media goes through TURN (on PBX)*

*The feature is disabled by default. To enable it, add the following line to the file /rw2/etc/kamailio /host\_specific\_custom.cfg:*

```
modparam("pv", "varset", "ice_drtp=i:1")
```

[WMS-7264] - wms: added support for S2S authentication via token for Wildix PBX API

- *The option "API access settings" located in WMS Settings -> PBX -> Integrations (prev. CRM Integrations)*
- *Available only for a super admin user*

*API documentation: [https://<pbx\\_host>/api/v1/doc/#tag/Authentication/bearer](https://<pbx_host>/api/v1/doc/#tag/Authentication/bearer)*

[WMS-7804] - col: added support for preview of video/ audio files via HTML5 <video>/ <audio> tags and youtube player in Collaboration chats

[WMS-8164] - col: added ability to leave customer feedback in Collaboration

*The option "Feedback" located in Collaboration top menu (right corner).*

[WMS-8204] - wms: implemented PHP HTTP client library for using S2S authentication

*Github developer documentation: <https://github.com/Wildix/s2s-client-php>*

### Improvements

[WMS-7772] - sys: added support for up to 1000 nodes in WMS Network

*Important: in case there are more than 252 PBXs in WMS Network, they all must be upgraded to WMS v. 5.0. Otherwise, chats, calls, statuses from / to PBXs on WMS 4.03 won't work.*

[WMS-7773] - sys: added support for showing up to 0,0001 in cost calculation in pricelist and CDR-View

*A new option "Decimal places number in Cost" is available in CDR-View -> Settings and allows changing the number of decimal places to be shown.*

[WMS-7957] - wizy: emails of participants are now matched with PBX users if they are present while creating a video conference

[WMS-8061] - sys: default behavior changed for call intrusion: audio notification (beep) enabled by default!

*A beep sound is played when any type of call intrusion (including silent intrusion) is started.*

*To disable it:*

- *for all the system: go to WMS Dialplan -> General Settings -> Set dialplan variables -> add INTRUSION\_NOTIFICATION=no*
- *for a specific group of users: modify Dialplan procedure used for the group -> add Set application and insert INTRUSION\_NOTIFICATION=no*

[WMS-8192] - col: increased size of devices selection window in Collaboration

[WMS-8217] - col: redesigned Login page in Collaboration

[WMS-8245] - sys: Identities feature is now compatible with ACI rule "Can/cannot - call pickup"

[WMS-8248] -sys: optimized Chat and Presence server load when a new client connection is established

[WMS-8283] - wms: optimized API response time for all endpoints with basic and session authentication

[WMS-8375] - sys: improved system performance for systems with large amount of users (> 3000 users)

[WMS-8377] - sys: S2S connection is now established directly (not via vpn) when possible

[WMS-8416] - sys: improved the logic of call forwarding to trunks

- *renamed the ACL "Trunk to trunk forward" to "Forward to trunk"*
- *changed the behaviour: now the ACL blocks all call forwards to trunk received from trunk/ user extension*

[WMS-8498] - api: disabled access to Basic Authentication API for the admin user

*Note: for S2S auth, use PHP HTTP client library (ticket WMS-8204).*

## **Fix**

[WMS-8345] - col: fixed an issue in which CDR-View didn't work with a large number of excludes