

Updated: September 2020

Permalink: <https://confluence.wildix.com/x/UQAVAQ>

- [English](#)
  - [Wizyconf Videoconference and Accessories](#)
  - [Wizyconf Conference Room \(Wizyconf Station\)](#)
- [Italian](#)
  - [Wizyconf Videoconference and Accessories](#)
- [French](#)
  - [Wizyconf Videoconference and Accessories](#)
  - [Wizyconf Conference Room \(Wizyconf Station\)](#)
- [German](#)
  - [Wizyconf Videoconference and Accessories](#)
  - [Wizyconf Conference Room \(Wizyconf Station\)](#)
- [Spanish](#)
  - [Wizyconf Conference Room \(Wizyconf Station\)](#)
- [Radioelectric Characteristics](#)
  - [Wizyconf-Voice](#)

## English

### Wizyconf Videoconference and Accessories

### Wizyconf Conference Room (Wizyconf Station)

For Large meeting rooms.



Wizyconf and Accessories Datasheet ENG.pdf



Wizyconf Station Datasheet EN.pdf

## Italian

### Wizyconf Videoconference and Accessories



Wizyconf and Accessories Datasheet ITA.pdf

## French

### Wizyconf Videoconference and Accessories

### Wizyconf Conference Room (Wizyconf Station)

Pour les grandes salles de conférence.



Wizyconf and Accessories Fiche Tech FRA.pdf



Wizyconf Station Datasheet FR.pdf

## German

**Wizyconf Videoconference and Accessories**

**Wizyconf Conference Room (Wizyconf Station)**

Für große Meetingräume.



Wizyconf and Accessories Datasheet DEU.pdf



Wizyconf Station Datasheet DEU.pdf

## Spanish

### Wizyconf Conference Room (Wizyconf Station)

Para salas de reuniones virtuales y largas.



Wizyconf Station Datasheet SPA.pdf

## Radioelectric Characteristics

### Wizyconf-Voice

Radioelectric Technology	Measures
Frequency Bands Emission/ Reception	2.402G to 2.480G
Bandwidth of the channels	1MHz
Possibility of choice of channels (yes/no)	Yes
Antenna (integrated/external)	Integrated
Effective radiated power (ERP)	max7.1mW or 8.5dBm
Power of the radio transmission	max7.1mW or 8.5dBm

## Not finding the help you need?

Join the Facebook group to ask a question!



Facebook group:  
Wildix Tech Wizards